















Pump Mount Plates



Pump Mount Plates



Hayes Manufacturing, Inc.

6875 U.S. 131

Fife Lake, MI 49633

Phone: (231) 879-3372 Fax: (231) 879-4330

Visit us at www.hayescouplings.com



Pump Mounting Plates

Hayes Pump mount plates are designed to carry your toughest loads. Our customers hang; pumps, motors, blowers, gearboxes, and many other driven components from our pump mounting plates. They are machined to give you maximum thread engagement and customized to your specific application when necessary.

Design Characteristics:


Features and Advantages:

- Sturdy, steel plate for continuous load support.
- Multiple thickness options
- Yellow zinc plating available
- Black zinc plating available
- Custom painted available

Applications:

- Aerial lifts • bucket loaders • skid-steer loaders • excavators • sweepers • wheeled loaders and more.
- Consult factory for applications not listed

Dimensional Information:



HAYES SAE PUMP MOUNTING PLATE DIMENSIONS							
HOUSING SIZE	"A" HOUSING PILOT	"B" O.D.	"C" B.C.	PLATE THICKNESS	"D" MOUNTING PLATE HOLES		
					# OF HOLES	SIZE	
1	20.125	21.750	20.875	1" OR 5/8"	12	31/64	
2	17.625	19.250	18.375	1" OR 5/8"	12	27/64	
3	16.125	17.750	16.875	5/8"	12	27/64	
4	14.250	15.880	15.000	5/8"	12	27/64	
5	12.375	14.000	13.130	5/8"	8	27/64	
6	10.500	12.120	11.250	5/8"	8	27/64	

Use the chart below to find the part number of the pump mount plate required for your application.

Hayes Manufacturing, Inc.

6875 U.S. 131

Fife Lake, MI 49633

Phone: (231) 879-3372 Fax: (231) 879-4330

Visit us at www.hayescouplings.com



Hayes Part #	Plate Information		Pump Information	
	SAE Housing	Thickness	SAE Pump Pilot	Bolt Pattern
123008-AO2	1	1"	B	2-Bolt
123008-AX2	1	1"	C	2-Bolt
123008-AS2	1	1"	D	2-Bolt
123008-AT2	1	1"	E	2-Bolt
123008-AU2	1	1"	F	2-Bolt
123008-AX4	1	1"	C	4-Bolt
123008-AS4	1	1"	D	4-Bolt
123008-AT4	1	1"	E	4-Bolt
123008-AU4	1	1"	F	4-Bolt
123008-BO2	2	1"	B	2-Bolt
123008-BX2	2	1"	C	2-Bolt
123008-BS2	2	1"	D	2-Bolt
123008-BT2	2	1"	E	2-Bolt
123008-BU2	2	1"	F	2-Bolt
123008-BX4	2	1"	C	4-Bolt
123008-BS4	2	1"	D	4-Bolt
123008-BT4	2	1"	E	4-Bolt
123008-BU4	2	1"	F	4-Bolt
123008-CN2	2	5/8"	A	2-Bolt
123008-CO2	2	5/8"	B	2-Bolt
123008-CX2	2	5/8"	C	2-Bolt
123008-CS2	2	5/8"	D	2-Bolt
123008-CT2	2	5/8"	E	2-Bolt
123008-CU2	2	5/8"	F	2-Bolt
123008-CO4	2	5/8"	B	4-Bolt
123008-CX4	2	5/8"	C	4-Bolt
123008-CS4	2	5/8"	D	4-Bolt
123008-CT4	2	5/8"	E	4-Bolt
123008-CU4	2	5/8"	F	4-Bolt
123008-DN2	3	5/8"	A	2-Bolt

123008-DO2	3	5/8"	B	2-Bolt
123008-DX2	3	5/8"	C	2-Bolt
123008-DS2	3	5/8"	D	2-Bolt
123008-DO4	3	5/8"	B	4-Bolt
123008-DX4	3	5/8"	C	4-Bolt
123008-DS4	3	5/8"	D	4-Bolt
123008-DT4	3	5/8"	E	4-Bolt
123008-DU4	3	5/8"	F	4-Bolt
123008-EN2	4	5/8"	A	2-Bolt
123008-EO2	4	5/8"	B	2-Bolt
123008-EX2	4	5/8"	C	2-Bolt
123008-ES2	4	5/8"	D	2-Bolt
123008-ET2	4	5/8"	E	2-Bolt
123008-EO4	4	5/8"	B	4-Bolt
123008-EX4	4	5/8"	C	4-Bolt
123008-ES4	4	5/8"	D	4-Bolt
123008-GN2	5	5/8"	A	2-Bolt
123008-GO2	5	5/8"	B	2-Bolt
123008-GX2	5	5/8"	C	2-Bolt
123008-GO4	5	5/8"	B	4-Bolt
123008-GX4	5	5/8"	C	4-Bolt
123008-HN2	6	5/8"	A	2-Bolt
123008-HO2	6	5/8"	B	2-Bolt
123008-HO4	6	5/8"	B	4-Bolt

Hayes Manufacturing, Inc.

6875 U.S. 131

Fife Lake, MI 49633

Phone: (231) 879-3372 Fax: (231) 879-4330

Visit us at www.hayescouplings.com