




ENGINE ADAPTER	"A" DIA	"B" DIA	"C" DIA	"D" QTY	PUMP SIZE	"E"	"F" DIA	"H" DIA	"J"	"R"	PART NUMBER
SAE 2	17.625	18.375	0.437	12	SAE C-2	5/8-11	7.125	5.000	0.38	0.63	Z13107
					SAE C-4	1/2-13	6.375				
SAE 2	17.625	18.375	0.437	12	SAE D-4	3/4-10	9.000	6.000	0.38	0.75	Z13108
SAE 2	17.625	18.375	0.437	12	SAE E-4	3/4-10	12.500	6.500	0.38	0.75	Z13109
SAE 3	16.125	16.875	0.437	12	SAE B-2	1/2-13	5.750	4.000	0.38	0.56	Z13110
					SAE B-4	1/2-13	5.000				
SAE 3	16.125	16.875	0.437	12	SAE C-2	5/8-11	7.125	5.000	0.38	0.63	Z13111
					SAE C-4	1/2-13	6.375				
SAE 3	16.125	16.875	0.437	12	SAE D-4	3/4-10	9.000	6.000	0.38	0.75	Z13112
SAE 4	14.250	15.000	0.437	12	SAE A-2	3/8-16	4.188	3.250	0.31	0.50	Z13113
SAE 4	14.250	15.000	0.437	12	SAE B-2	1/2-13	5.750	4.000	0.38	0.56	Z13114
					SAE B-4	1/2-13	5.000				
SAE 4	14.250	15.000	0.437	12	SAE C-2	5/8-11	7.125	5.000	0.38	0.63	Z13115
					SAE C-4	1/2-13	6.375				
SAE 5	12.375	13.125	0.437	8	SAE A-2	3/8-16	4.188	3.250	0.31	0.50	Z13116
SAE 5	12.375	13.125	0.437	8	SAE B-2	1/2-13	5.750	4.000	0.38	0.56	Z13117
					SAE B-4	1/2-13	5.000				
SAE 5	12.375	13.125	0.437	8	SAE C-2	5/8-11	7.125	5.000	0.38	0.63	Z13118
					SAE C-4	1/2-13	6.375				
SAE 6	10.500	11.250	0.437	8	SAE A-2	3/8-16	4.188	3.250	0.31	0.50	Z13119
SAE 6	10.500	11.250	0.437	8	SAE B-2	1/2-13	5.750	4.000	0.38	0.56	Z13120
					SAE B-4	1/2-13	5.000				

DRIVE PLATE SIZE	"G"	"K" DIA	"L" DIA	"M" DIA	"N" QTY	"P" SPLINE	PART NUMBER	MAX. TORQUE (in-lb)
SAE 11-1/2	1.56	13.875	13.125	0.406	8	SAE D (13T-8/16)	Y13126	15,055
						SAE C (14T-12/24)	Y13127	5,675
						SAE B (13T-16/32)	Y13128	1,850
						SAE A (9T-16/32)	Y13129	515
SAE 10	2.12	12.375	11.625	0.406	8	SAE D (13T-8/16)	Y13130	15,055
						SAE C (14T-12/24)	Y13131	5,675
						SAE B (13T-16/32)	Y13132	1,850
						SAE A (9T-16/32)	Y13133	515
SAE 8	2.44	10.375	9.625	0.406	6	SAE D (13T-8/16)	Y13134	15,055
						SAE C (14T-12/24)	Y13135	5,675
						SAE B (13T-16/32)	Y13136	1,850
						SAE A (9T-16/32)	Y13137	515
SAE 7-1/2	1.19	9.500	8.750	0.344	8	SAE C (14T-12/24)	Y13138	5,675
						SAE B (13T-16/32)	Y13139	1,850
						SAE A (9T-16/32)	Y13140	515
SAE 6-1/2	1.19	8.500	7.875	0.344	6	SAE B (13T-16/32)	Y13141	1,850
						SAE A (9T-16/32)	Y13142	515



NOTES:

- FOR PROPER ORIENTATION, PART NUMBER AND DESCRIPTION ON EACH PART MUST BE VISIBLE AFTER ASSEMBLING PARTS TO FLYWHEEL OR ENGINE HOUSING.
- APPLY SILVER STREAK "200S" OR EQUIVALENT, TO EXTERNAL SPLINES OF PUMP SHAFT, WHEN ASSEMBLING PUMP TO MOUNTING PLATE AND ENGAGING DRIVE PLATE HUB.

REF

2 29157		CORRECT LOCATION OF "B" DIAMETER		WEM	7/14/09	ALL DIMENSIONS IN INCHES UNLESS OTHERWISE SPECIFIED. ALLOW 0.01 TOLERANCE ON MACHINED SURFACES. FILLETS AND RADIUS 0.125 MAX. MACHINING TOLERANCES: X ± 0.030 FRAC. ± 1/64 XX ± 0.010 ANGLE ± 30' 1/32 X 0.005 1/4 FINISH		THIS PRINT IS CONFIDENTIAL AND IS THE PROPERTY OF DURST, DIV. OF REGAL BELLOTT CORP. THIS PRINT SHALL NOT BE USED, COPIED OR REPRODUCED IN WHOLE OR IN PART. NOR SHALL THE CONTENTS BE REVEALED IN ANY MANNER TO ANYONE, UNLESS WRITTEN PERMISSION IS OBTAINED FROM DURST, DIV. REGAL BELLOTT CORP.		 DIVISION OF REGAL BELLOTT CORP. P. O. BOX 208 BELLOTT, WISCONSIN 53511	
1 28792		RELEASED TO PRODUCTION		WEM	3/10/09	MODEL WHERE USED N/A		MATERIAL		TITLE	
REV. W.O. NO. ZONE		DESCRIPTION		BY	DATE	DRAWN BY WEM DATE 2/12/09		SCALE N/A THIRD ANGLE PROJECT		PART NO. ZODD	
										ZERO OFFSET DIRECT DRIVE CHARTED DWG	
										SIZE D	

SHEET 1 OF 1